CLAIMS

What is claimed is:

- 1 1. A modular electronic communications system comprising:
- 2 a base unit,
- a connection from said base unit to at least one external communications device,
- 4 at least one module comprising at least one additional communications feature,
- 5 said module capable of being coupled directly to said base unit, said module further
- 6 comprising a data combining function for combining information from said base unit and
- 7 said module.
- 1 2. The electronic communications system of claim 1, wherein said base unit does
- 2 not comprise a data combining function and wherein said base unit comprises a switch
- 3 for routing data to said combining function located in said module.
- 1 3. The electronic communications system of claim 1, wherein said base unit
- 2 comprises a data combining function.
- 1 4. The electronic communications system of claim 1, wherein said module is
- 2 capable of operating independently of said base unit.

5

- 1 5. The electronic communications system of claim 1, further comprising a second
- 2 module coupled directly to said first module.
- 1 6. The electronic communications system of claim 5, wherein said second module is
- 2 capable of operating independently of said base unit.
- 1 7. The electronic communications system of claim 3, wherein said second module
- 2 further comprises a data combining function.
- 1 8. The electronic communications system of claim 3, wherein the said second
- 2 module does not comprise a data combining function.
- 1 9. A modular electronic communications system comprising:
- 2 a base unit comprising at least a first communication function,
- a connection from said base unit to at least one external communications device,
- 4 at least one module comprising at least a second communications function, said
 - module being coupled directly to said base unit,
- a data combining function, located in said module, for combining data from at
- 7 least three data sources, said data sources comprising said second communication
- 8 function, said first communication function, and said external communications device,
- a switch located in said base unit for switching said connection of said external
- 10 communications device between said combining function located in said module, and
- said first communication function.

- 1 10. The modular electronic communications system of claim 9, further comprising a
- 2 second module.
- 1 11. The modular electronic communications system of claim 9, further comprising a
- 2 second module positioned remotely from said base unit.
- 1 12. The modular electronic communications system of claim 10, wherein said second
- 2 module is coupled to said base unit base unit.
- 1 13. The modular electronic communications system of claim 10, wherein the said
- 2 second module further comprises a data combining function.
- 1 14. The modular electronic communications system of claim 10, wherein the said
- 2 second module does not comprise a data combining function.
- 1 15. The modular electronic communications system of claim 9, wherein said base
- 2 unit does not comprise a data combining function.
- 1 16. A method for adding additional network functions into a network system while
- 2 keeping the existing physical wiring connections to an external communications device,
- 3 the method comprising the steps of:

4

3	(a) Obtaining a base unit;
6	
7	(b) installing said base unit and connecting an external communications
8	device to said base unit;
9	
10	(c) obtaining one or more additional data communications functions
11	contained in a first module; and
12	
13	(d) coupling said first module directly to said base unit while keeping the
14	existing physical wiring connections to said external communication device in
15	step (b).
1	17. The method of claim 16 further comprising the step of: (e) obtaining one or more
2	additional data communications functions contained in a second module.
1	18. The method of claim 17 further comprising the step of: (f) coupling said second
2	module to said base unit while keeping the existing physical wiring connections to said
3	communication device in step (b).
1	19. The method of claim 17 further comprising the step of: (g) coupling said second
2	module to said first module while keeping the existing physical wiring connections to
3	said communication device in step (b).

- 1 20. The method of claim 17 further comprising the step of: (h) coupling a cable
- 2 between said second module and said base unit.